



• **LONG-LASTING POWDER**

USE IN

- | | |
|------------------|-----------------------------|
| * Homes | * Nursing Homes |
| * Restaurants | * Ships |
| * Grocery Stores | * Yachts |
| * Schools | * Buses |
| * Warehouses | * Kennels |
| * Mobile Homes | * Zoos |
| * Hotels | * New Building Construction |
| * Offices | |
| * Apartments | * Sewers |
| * Attics | * Hospitals |

Kills: Cockroaches, Palmettobugs, Waterbugs, Ants, Silverfish, and Termites

BORiD®
with BORIC ACID

ACTIVE INGREDIENT:
Orthoboric Acid 99.0%
INERT INGREDIENTS 1.0%
100.0%

• **ODORLESS**

This product is a nonflammable, stainless, odorless powder that will control cockroach infestations in homes and other buildings.

This product is a long-lasting powder which is effective as long as it is in place and kept dry.

Product is filled by weight and may settle in shipping.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. AVOID EYE CONTACT. WASH THOROUGHLY AFTER HANDLING.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DOMESTIC APPLICATION

COCKROACHES, PALMETTOBUGS, WATERBUGS, ANTS, AND SILVERFISH: No powder should be visible in living areas after application. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. Do not use in serving areas when food is exposed. Do not use in edible product areas. Apply approximately 1 pound for every 1000 square feet of living space.

Apply this product liberally in areas where cockroaches hide or nest; under and behind appliances; in plumbing voids accessible through holes, around plumbing and drains; in void areas under kitchen and bathroom cabinets (Note: Many cabinets have a gap at the top of the kickplate which offers easy access. If not, drill a small hole at the top of the kickplate.); in drawer wells of cabinets, in cracks around windows, doors, baseplates, fixtures and cabinets; in utility rooms, under and behind hot water heaters, washers and dryers. Be sure to dust plumbing voids; in attics, around the perimeter and vent pipes, above kitchens and baths; around the perimeter of dropped ceilings; into pits of elevator shafts, dumbwaiters and trash chutes; under and behind pallets and boxes in storerooms.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container away from food and feedstuffs. Keep products in a locked storage area.

DISPOSAL: Do not reuse this container. Wrap and place in trash collector.

NET WEIGHT 25 lbs/11.3 kg

DIRECTIONS FOR USE

WITHIN FOOD AREAS AND NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

Care should be taken to avoid depositing the product onto surfaces which are exposed or introducing the material into the air. Avoid contamination of food or food processing surfaces. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Apply in small amounts directly into cracks and crevices using a bellows duster or other suitable equipment capable of applying insecticide directly. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, also would be considered a food area.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

SEWER TREATMENT: Apply this product at a rate not to exceed 8 lbs. per 3000 square feet using portable blowers or air pressure tanks.

PRETREATMENT OF NEW CONSTRUCTION: Apply powder to baseplates and plumbing voids at the rate of 4 lbs per 1000 square feet. In attics, apply powder around perimeter of attics and around vent stacks at the rate of 4 lbs per 1000 square feet.

CARPENTER ANTS: Locate source of infestation. Using powder duster, inject powder for 3-5 seconds into insect tunnels and cavities.

TERMITES: Spot treatment for localized infestations, probe to locate galleries. Drill 1/2 inch holes into infested wood at 1 foot intervals. Using a bellows or power duster, inject this product for 3-5 seconds into insect galleries and cavities. For hollow block foundation walls, drill 1/2 inch holes into the masonry at 1 foot intervals. Using a bellows or power duster, inject this product for 3-5 seconds into the cavities.

EPA Reg. No. 9444-129

EPA Est. No. 9444-LA-1

Authorized for use under USDA Inspection & Grading Programs.

Manufactured by
WATERBURY COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
Made in USA

